

Structural A500B/C Pipe STD/SCH40 Wall

Nominal Size Inches	Outside Diameter	Inside Diameter	Wall Thickness	Lbs. Per Foot
1/2	0.840	0.622	0.109	0.85
3/4	1.050	0.824	0.113	1.13
1	1.315	1.049	0.133	1.68
1 1/4	1.660	1.380	0.140	2.27
1 1/2	1.900	1.610	0.145	2.72
2	2.375	2.067	0.154	3.65
2 1/2	2.875	2.690	0.203	5.79
3	3.500	3.068	0.216	7.58
3 1/2	4.000	3.548	0.226	9.11
4	4.500	4.026	0.237	10.79
5	5.630	5.047	0.258	14.62
6	6.625	6.065	0.280	18.97
8	8.625	7.981	0.322	28.55
10	10.750	10.020	0.365	40.48
12	12.750	12.000	0.375	49.56

Structural A500B/C Pipe XS/SCH80 Wall

Nominal Size Inches	Outside Diameter	Inside Diameter	Wall Thickness	Lbs. Per Foot
1/2	0.840	0.546	0.147	1.09
3/4	1.050	0.742	0.154	1.47
1	1.315	0.957	0.179	2.17
1 1/4	1.660	1.278	0.191	3.00
1 1/2	1.900	1.500	0.200	3.63
2	2.375	1.939	0.218	5.02
2 1/2	2.875	2.323	0.276	7.66
3	3.500	2.900	0.300	10.25
3 1/2	4.000	3.640	0.318	12.51
4	4.500	3.826	0.337	14.98
5	5.630	4.813	0.375	20.78
6	6.625	5.761	0.432	28.57
8	8.625	7.625	0.500	43.39
10	10.750	9.75/9.56	.500/.594	54.79/64.49
12	12.750	11.75/11.37	.500/.688	65.48/88.71

A53 & A106 Tested/Black Pipe is available by special order

Round Tubing

Size (OD)	Gauge	Lbs./Ft.	Size (OD)	Gauge	Lbs./Ft.
.75" (3/4")	15ga	0.521	2.50" (2-1/2)	14ga	2.143
				12ga	2.783
1.00 (1")	16ga	0.649	2.75" (2-3/4)	11ga	3.050
	14ga	0.813			
	12ga	1.037		16ga	1.864
	11ga	1.128		14ga	2.364
1.25" (1-1/4")				12ga	3.075
	16ga	0.823		11ga	3.371
	14ga	1.034	3.00 (3")		
	12ga	1.328		14ga	2.600
11ga	1.448	12ga		3.300	
		11ga		2.700	
1.50 (1-1/2")	16ga	0.996	3.50 (3-1/2")	10ga	4.200
	14ga	1.256			
	12ga	1.619		14ga	2.800
	11ga	1.769		12ga	3.900
1.66"				11ga	4.300
	16ga	1.107		10ga	5.000
	14ga	1.398	4.00 (4")		
	12ga	1.806		12ga	4.500
11ga	1.974	11ga		4.900	
		10ga		5.700	
1.75" (1-3/4)	14ga	1.478		3/16"	7.600
	12ga	1.910	4.50 (4-1/2")		
	11ga	2.089		12ga	5.000
		11ga		5.600	
1.90"	16ga	1.274		10ga	6.400
	14ga	1.611	5.00 (5")		
	12ga	2.085		14ga	4.000
	11ga	2.281		12ga	5.600
		10ga		7.200	
2.00"	16ga	1.343	6.00 (6")		
	14ga	1.699		14ga	4.800
	12ga	2.201		12ga	6.800
	11ga	2.409		10ga	8.600
2.375" (2-3/8)				3/16"	11.600
	14ga	2.032	8.00 (8")		
	12ga	2.638		11ga	10.300
	11ga	2.890		10ga	11.600
		3/16"		15.600	